1

n	1	030	160
v	T	υοι	ハン

(Pages: 4)

Name.....

Reg. No.....

## FOURTH SEMESTER (CBCSS—UG) DEGREE EXAMINATION APRIL 2024

Mathematics

MTS 4B 04—LINEAR ALGEBRA

(2019 Admission onwards)

Time: Two Hours and a Half

Maximum: 80 Marks

## Section A (Short Answer Type Question)

All questions can be attended. Each question carries 2 marks. Overall ceiling 25.

- 1. Give an example of a system of linear equation with the following properties :
  - (i) Unique solution
  - (ii) Infinite number of solutions
- 2. Solve the system x + y = 2, x y = 0 by using any method.
- 3. Give an example to show that the matrix multiplication is need not be commutative.
- 4. Find the row reduced echelon form of

$$\begin{bmatrix} 1 & 3 \\ 2 & 7 \end{bmatrix}.$$

- 5. Let  $W = \{(x, y, z) : x + y + z = 0\}$ . Show that W is subspace of  $\mathbb{R}^3$ .
- 6. Show that  $\{(1,0),(0,1)\}$  spans  $\mathbb{R}^2$ .
- 7. Define Wronskian. Find the Wronskian of  $\sin 5x$  and  $\cos 5x$ .
- 8. Define linearly independent set. Give an example.
- 9. Define row space and column space of a matrix.

Turn over

4

D 103065

## Section C (Essay Type Question)

Answer any two questions.

Each question carries 10 marks.

24. (a) For what values of  $b_1$ ,  $b_2$  and  $b_3$  the following system of equations are consistent?

$$x_1 + x_2 + 2x_3 = b_1$$

$$x_1 + 0x_2 + x_3 = b_2$$

$$2x_1 + x_2 + 3x_3 = b_3.$$

- (b) Let A and B are symmetric matrices of same size. Then show that the followings.
  - (i) AT is symmetric
  - (ii) A + B and A B are symmetric
  - (iii) kA is symmetric, where k is any scalar.
- 25. Let  $u = \{1, 2, -1\}, v = \{6, 4, 2\}$  in  $\mathbb{R}^3$ .
  - (a) Show that  $w = \{9, 2, 7\}$  is in the linear combination of u and v.
  - (b) Show that  $w = \{4, -1, 8\}$  is not in the linear combination of u and v.
- 26. Consider the matrix,

$$\mathbf{A} = \begin{bmatrix} 1 & 2 & 4 & 0 \\ -3 & 1 & 5 & 2 \\ -2 & 3 & 9 & 2 \end{bmatrix}$$

- (a) Verify that  $\operatorname{rank}(A) = \operatorname{rank}(A^{T})$ .
- (b) Verify dimension theorem for the matrix A.
- 27. Find an orthogonal matrix P that diagonalizes:

$$A = \begin{bmatrix} 4 & 2 & 2 \\ 2 & 4 & 2 \\ 2 & 2 & 4 \end{bmatrix}.$$

 $(2 \times 10 = 20 \text{ marks})$ 

3

D 103062

- 18. Determine the set  $\{6, 3\sin^2 x, 2\cos^2 x\}$  is independent or not.
- 19. Show that the matrices

$$\mathbf{M}_1 = \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix}, \, \mathbf{M}_2 = \begin{bmatrix} 0 & 1 \\ 0 & 0 \end{bmatrix}; \, \mathbf{M}_3 = \begin{bmatrix} 0 & 0 \\ 1 & 0 \end{bmatrix}, \, \mathbf{M}_4 = \begin{bmatrix} 0 & 0 \\ 0 & 1 \end{bmatrix}.$$

Form a basis for the vector space  $M_{22}$  of  $2 \times 2$  matrices.

20. Find a basis for row space of the matrix

$$\begin{bmatrix} 1 & -3 & 4 & -2 & 5 & 4 \\ 2 & -6 & 9 & -1 & 8 & 2 \\ 2 & -6 & 9 & -1 & 9 & 7 \\ -1 & 3 & -4 & 2 & -5 & -4 \end{bmatrix}.$$

- 21. Describe the null space of the matrix  $\begin{bmatrix} 6 & 2 \\ 3 & 1 \end{bmatrix}$ .
- 22. Define inner product. Consider  $P_2$  with the inner product  $\langle p, q \rangle = \int_{-1}^{1} p(x) q(x) dx$ . Verify that x and  $x^2$  are orthogonal with respective above inner product.
- 23. Let f = f(x) and g = g(x) be two functions on C[a, b]. Show that  $\langle f, g \rangle = \int_a^b f(x) f(x) dx$  defines an inner product on C[a, b].

(Ceiling 35 Marks)

Turn over

D 103062

- 10. Find the rank of the matrix  $\begin{bmatrix} 1 & 2 & 3 \\ 2 & 3 & 4 \\ 3 & 5 & 7 \end{bmatrix}$ .
- 11. Show that the operator  $T: \mathbb{R}^2 \to \mathbb{R}^2$ , that projects onto the x-axis in the xy-plane is not one-one.
- 12. Find the eigen values of  $\begin{bmatrix} 3 & 0 \\ 8 & 1 \end{bmatrix}$ .
- 13. Define similar matrices. Show that if A and B are similar the determinant is equal.
- 14. Let  $u = U = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$ ,  $v = V = \begin{bmatrix} -1 & 0 \\ 3 & 2 \end{bmatrix}$ . Evaluate  $\langle u, v \rangle$ , where,  $\langle u, v \rangle = \langle U, V \rangle = trace (U^T V)$ .
- 15. Define orthogonal matrix. Show that  $\begin{bmatrix} \cos x & \sin x \\ -\sin x & \cos x \end{bmatrix}$  is orthogonal.

(Ceiling 25 Marks)

## Section B (Paragraph/Problem Type Questions)

All questions can be attended. Each question carries 5 marks. Overall Ceiling 35.

16. Let 
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & -3 & 0 \\ 0 & 0 & 2 \end{bmatrix}$$
, find, det  $(A)$ ,  $A^{-1}$ ,  $A^{-2}$ ,  $A^{-3}$  and  $A^{-5}$ .

17. Using row reduction, evaluate the determinant of:

$$\begin{bmatrix} 0 & 1 & 5 \\ 3 & -6 & 9 \\ 2 & 6 & 1 \end{bmatrix}.$$